
XC Carbon Fiber CNC Machining

Specification	
Pattern	Twill, Plain
Surface	Glossy, Matte
Line	3K Or 1K, 1.5K, 6K
Color	Black; Gold, Silver, Red, Blue, Green (Or With Color Silk)
Lay Up	3K+UD+3K, 3K+Fiberglass+3K, Full UD, Full 3K
Material	Japan Toray Carbon Fiber Fabric+Resin
Dimension	Custom
Thickness	0.2-60 mm
Net Weight(g)	200g/sqm -360g/sqm

Description

A countersink is a conical hole cut into a manufactured object, we offer complex countersink drill holes on carbon fiber sheet, just send us your drawing in DWG, Step. All the machining parts are controlled by our CNC technicians, and both tolerance and surface quality are strictly inspected by the quality inspection department before shipping the goods. Integrated CNC machining enables us to help our customers produce parts efficiently. Just send us AutoCAD files in form of DFX, DWG or solid works files if any demand.

Feature

1. High Strength, Light Weight, Environmental, Durable Nice Surface, Fashion
2. Low Coefficient Of Thermal Expansion, High Temperature Resistance
3. Good Tenacity, Good Toughness, Low Coefficient Of Thermal Expansion

Application

1. Aerospace, Helicopters Model Drone, UAVS, FPV, RC Model Parts
2. Manufacture Fixtures And Tooling, Industrial Automation And Robotics
3. Sports Equipment, Musical Instruments, Medical Device
4. Building Construction Repair And Strengthening
5. Car Interior Decoration Parts, Art Products
6. Others

Product link : <https://www.xccarbonfiber.com/?p=475035>